Fagor Electrodomésticos, S. Coop.
Tel. 943 03 71 00
Fax 943 03 71 19
Barrio S. Andrés, 18
20500 MONDRAGÓN (Gipuzkoa)
www.fagor.com
info@fagor.com

FAGOR

'08-09 general catalogue

'08 09 general catalogue

FAGOR

EUSKOPI / FAGOR MD-09-08/G.Ona F04GGFRP02

washing’

washing machines 8 kg’ p.152
washing machines 7 kg’ p.153
washing machines 6 kg’ p.153
washing machines 5 kg’ p.153-154
built-in’ p.154
top-loading’ p.158-159

drying’

washer-dryer’ p.168
tumble-dryers 8, 7 and 6 kg’ p.172-173

ironing’

eoliss’ p.178

the integral solution for treating clothes

Fagor offers the best solutions for washing, drying and ironing.

with fagor you can have it all'

We respond to your every need.
Washing, drying and ironing clothes are tedious tasks for all users. Fagor offers different solutions to satisfy these 3 needs comfortably and practically.

washing

drying

ironing

Now you decide what you need to treat your clothing.
Fagor recommends one of these combined solutions:

_**WASHING + DRYING.**
With a washer and a dryer or with a washer-dryer.

_**WASHING + DRYING + SMOOTHING.**
With a washer and eoliss for drying and ironing.

	washing	washing drying	washing-drying ironing
washing machines 8, 7, 6 and 5 kg.			
washer-dryers			
washing machines 8, 7, 6 and 5 kg. + tumble-dryers 8, 7 y 6 kg.			
washing machines 8, 7, 6 and 5 kg. + eoliss			

in only 60 minutes'

Outfits for 2 people can be ready in just 1 hour.
Gym clothes for 2 people, 2 adult outfits or kids' clothing... For those times when we need clothes cleaned as quickly as possible, with Fagor you can, in only 60 minutes.

60 minutes	for example: 2 adult shirts and 2 pairs of trousers or…	6 children's items or…	2 adult shirts and one pair of trousers plus 3 children's items…
			

Washing machines
Tumble-dryers
Eoliss

_turbo-time plus



are 57% faster

Fagor's washing machines are now the fastest on the market and have the highest ratings.

turbo-time
PLUS



As the diagram shows, the most commonly used Fagor programmes do not take more than an hour.

Which capacity is best for you?
You can choose between 4 different capacities. Which best meets your needs: 8, 7, 6 or 5 kg?

in 50 min. in 30 min. in 15 min.

In tune with the pace of your lifestyle.
Depending on the load to wash, Fagor offers different washing solutions to better organize your time.

They are not only the fastest washing machines on the market, they have also been awarded the highest ratings in energy savings and washing efficiency.

_design

designed to make life easier

Designed for maximum ease in loading and unloading clothes.
The hatch is 73 cm from the floor and 34 cm in diameter.

Stainless steel or white base.
Raise the washing machine a few centimetres off the ground to more comfortably access the drum. There is also a drawer for storage.

34 cm hatch.
Makes loading and unloading bulky items such as duvets easy.

Instant and automatic opening.
Now you can open the machine as soon as the programme has finished, no need to wait

take care of your clothes and they will take care of you

They know how to give your clothes the best possible treatment.

special programmes

Special programmes.
Designed for your special needs: duvets, quick 15 and 30, mixed loads, difficult stains, antibacterial washes or curtains.

tilted drum

Tilted drum.
There are more rotations in every direction, thus improving the efficiency of the wash.



New drum design.
A greater number of holes with a new reduced size treat your clothing more gently.

electronic washing machines

Model and EAN	Specifications
F-4812 **white** 905014692 EAN-13: 8413880152721 energy A+ · wash A	**8 Kg.** • 1,200 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; functions selected; spin speed selected • Function selection: intensive wash; extra rinse; easy iron; spin from 0 to 1,200 r.p.m. and anti-crease • Instant hatch opening turbo-time PLUS · ABS · in 50 min. · special programmes · tilted drum
F-2814 **white** 905014629 EAN-13: 8413880162973 energy A+ · wash A	**8 Kg.** • 1,400 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; spin speed selected • Function selection: - intensive wash - extra rinse - easy iron - spin from 0 to 1,400 r.p.m. and anti-crease turbo-time PLUS · ABS · in 50 min. · special programmes · tilted drum
F-2812 X **stainless steel** 905014610 EAN-13: 8413880162966 **F-2812** **white** 905014683 EAN-13: 8413880152707 energy A+ · wash A · stainless steel anti-fingerprint	**8 Kg.** • 1,200 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; spin speed selected • Function selection: - intensive wash - extra rinse - easy iron - spin from 0 to 1,200 r.p.m. and anti-crease turbo-time PLUS · ABS · in 50 min. · special programmes · tilted drum
F-2810 **white** 905014665 EAN-13: 8413880152684 energy A+ · wash A	**8 Kg.** • 1,000 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; spin speed selected • Function selection: - intensive wash - extra rinse - easy iron - spin from 0 to 1,000 r.p.m. and anti-crease turbo-time PLUS · ABS · in 50 min. · special programmes · tilted drum

Model and EAN	Specifications
 FE-2712 X **stainless steel** 905113148 EAN-13: 8413880174037 **FE-2712** **white** 905113139 EAN-13: 8413880174020 energy A · wash A · stainless steel anti-fingerprint	**7 Kg.** • 1,200 r.p.m. • Cold washes in 1 hour • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; spin speed selected • Function selection: - intensive wash - extra rinse - easy iron - spin from 0 to 1,200 r.p.m. and anti-crease ABS · 7 Kg in 1 hour · special programmes · tilted drum
 3F-2614 **white** 905014282 EAN-13: 8413880148304 energy A+ · wash A	**6 Kg.** • 1,400 r.p.m. • Cold washes in 1 hour • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; spin speed selected • Function selection: - intensive wash - extra rinse - easy iron - spin from 0 to 1,400 r.p.m. and anti-crease ABS · 6 Kg in 1 hour
 3F-2612 X **stainless steel** 905014807 EAN-13: 8413880171319 **3F-2612** **white** 905014264 EAN-13: 8413880148281 energy A+ · wash A · stainless steel anti-fingerprint	**6 Kg.** • 1,200 r.p.m. • Cold washes in 1 hour • Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; spin speed selected • Function selection: - intensive wash - extra rinse - easy iron - spin from 0 to 1,200 r.p.m. and anti-crease ABS · 6 Kg in 1 hour
 3F-1610 **white** 905014781 EAN-13: 8413880171296 energy A+ · wash A	**6 Kg.** • 1,000 r.p.m. • Cold washes in 1 hour • Leds information of: - wash process - delayed start up to 3, 6 and 9 hours - spin speed selected • Function selection: - intensive wash - anti-crease - spin from 0 to 1,000 r.p.m. ABS · 6 Kg in 1 hour
 3F-111 **white** 905013130 EAN-13: 8413880141824 energy A+ · wash A	**5 Kg.** • 1,100 r.p.m. • Cold washes in 1 hour. • Leds information of: - wash process - delayed start up to 3, 6 and 9 hours - spin speed selected • Function selection: - intensive wash - anti-crease - spin from 0 to 1,100 r.p.m. ABS · 5 Kg in 1 hour

electronic washing machines'

Model and EAN		Specifications	Diagrams and measurements
		5 Kg. • 900 r.p.m. • Cold washes in 1 hour. • Leds information of: - wash process - delayed start up to 3, 6 and 9 hours - spin speed selected • Function selection: - intensive wash - anti-crease - spin from 0 to 900 r.p.m.	

3F-109
white
905013121
EAN-13: 8413880141817

A+ energy · A wash · ABS · 5 Kg in 1 hour

built-in washing machines'

F-3712 IT
white
905014889
EAN-13: 8413880171395

A energy · A wash · TT plus turbo-time PLUS · ABS · 7 Kg in 50 min.

7 Kg.

- 1,200 r.p.m.
- Turbo-Time Plus
- Cold wash (50 minutes)
- Interactive LCD display with information about the following:
  - wash process
  - delayed start for up to 24 hours
  - duration and time remaining of programme
  - functions and spin speed selected
- Function selection:
  - intensive wash, extra rinse and easy iron
  - spin from 0 to 1,200 r.p.m. and anti-crease



3F-3610 IT
white
905013194
EAN-13: 8413880141879

A+ energy · A wash · ABS · 6 Kg in 1 hour

6 Kg.

- 1,000 r.p.m.
- Cold washes in 1 hour
- Interactive LCD display with information about the following:
  - wash process
  - delayed start for up to 24 hours
  - duration and time remaining of programme
  - functions and spin speed selected
- Function selection:
  - intensive wash, extra rinse and easy iron
  - spin from 0 to 1,000 r.p.m. and anti-crease

electronic **front loading** washing machines'

		FREE-STANDING							
		8 Kg				7 Kg	6 Kg		
		F-4812	F-2814	F-2812 X F-2812	F-2810 X F-2810	FE-2712 X FE-2712	3F-2614	3F-2612 3F-2612 X	3F-1610
GENERAL FEATURES									
Maximum spin speed (r.p.m.)		1,200	1,400	1,200	1,000	1,200	1,400	1,200	1,000
Wash capacity (kg.)		8	8	8	8	7	6	6	6
Electronic Variable Load		●	●	●	●	●	●	●	●
Accessible self-cleaning filter		●	●	●	●	●	●	●	●
Number of detergent sections in tray		3	3	3	3	3	3	3	3
Instant loading door opening system		●							
Turbo Time Plus		●	●	●	●				
ABS system		●	●	●	●	●	●	●	●
Gradual spin		●	●	●	●	●	●	●	●
180º opening door		●	●	●	●	●	●	●	●
Large 34 cm. hatch		●	●	●	●	●	32	32	32
Polypropylene drum		●	●	●	●	●	●	●	●
PROGRAMMING									
Single-dial programme selector		●	●	●	●	●	●	●	●
Interactive LCD display		●	●	●	●	●	●	●	
Shorter programmes		●	●	●	●	●	●	●	●
Programmes	Intensive	●	●	●	●	●	●	●	●
	Energetic with pre-wash						●	●	●
	Normal	●	●	●	●	●	●	●	●
	Delicate	●	●	●	●	●	●	●	●
	Hand wash (Wool)	●	●	●	●	●	●	●	●
	Cold	●	●	●	●	●	●	●	●
	Quick (30 minute)						●	●	●
Special programmes	Fast: 4 kg in 30 minutes	●	●	●	●	●			
	Fast: 2 kg in 15 minutes	●	●	●	●	●			
	Antibacterial	●	●	●	●	●			
	To remove difficult stains	●	●	●	●	●			
	Eiderdown	●	●	●	●	●			
	Curtains	●	●	●	●	●			
	Mixed	●	●	●	●	●	●	●	●
OPERATING CONTROL									
Keys / Functions	Delayed start	24 h.	24 h.	24 h.	24 h.	24 h.	24 h.	24 h.	9 h.
	Start / Stop	●	●	●	●	●	●	●	●
	Start / Pause	●	●	●	●	●	●	●	●
	Easy iron	●	●	●	●	●	●	●	
	Intensive wash	●	●	●	●	●	●	●	●
	Extra rinse	●	●	●	●	●	●	●	
	Spin and anti-crease control	●	●	●	●	●	●	●	●
Continual information on the washing process		●	●	●	●	●	●	●	●
Indicators	Time remaining	●	●	●	●	●	●	●	
	Lock selection	●	●	●	●	●	●	●	
SAFETY									
Suds control		●	●	●	●	●	●	●	●
Anti-overflow		●	●	●	●	●	●	●	●
TECHNICAL SPECIFICATIONS									
Energy class		A+	A+	A+	A+	A	A+	A+	A+
Wash efficiency		A	A	A	A	A	A	A	A
Spin class efficiency		B	B	B	C	B	B	B	C
Consumption	Electricity (kWh)*	1.36	1.36	1,36	1,36	1.33	1.02	1.02	1.02
	Water (l)*	59	59	59	59	59	49	49	49
Total installed power (W)		2,200	2,200	2.200	2.200	2,200	2,200	2,200	2,200
Voltage / Frequency (V/Hz)		220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Current (A)		10	10	10	10	10	10	10	10
DIMENSIONS									
Dimensions with worktop (mm)	Height	850	850	850	850	850	850	850	850
	Width	590	590	590	590	590	590	590	590
	Depth	590	590	590	590	590	550	550	550

(*) Consumption is measured at 60º C according to EN-60456

(**) Height without worktop

Washing machine accessories'

Model, Code and EAN	Specifications
ACC. SEC. HOSE Code 995990012 EAN-13: 8413880070780	Optional anti-flood kit: Mechanism that automatically cuts off water outflow if the water intake tube is broken. Suitable for the entire front-loading range.

FREE-STANDING		BUILT-IN		
5 Kg		7 Kg	6 Kg	
3F-111	3F-109	F-3712 IT	3F-3610 IT	
				GENERAL FEATURES
1,100	900	1,200	1,000	Maximum spin speed (r.p.m.)
5	5	7	6	Wash capacity (kg.)
●	●	●	●	Electronic Variable Load
●	●	●	●	Accessible self-cleaning filter
3	3	3	3	Number of detergent sections in tray
				Instant loading door opening system
		●		Turbo Time Plus
●	●	●	●	ABS system
●	●	●	●	Gradual spin
●	●			180º opening door
32	32	30	30	Large 34 cm. hatch
●	●	●	●	Polypropylene drum
				PROGRAMMING
●	●	●	●	Single-dial programme selector
		●	●	Interactive LCD display
●	●	●	●	Shorter programmes
●	●	●	●	Intensive (Programmes)
●	●	●	●	Energetic with pre-wash (Programmes)
●	●	●	●	Normal (Programmes)
●	●	●	●	Delicate (Programmes)
●	●	●	●	Hand wash (Wool) (Programmes)
●	●	●	●	Cold (Programmes)
●	●	●	●	Quick (30 minute) (Programmes)
				Fast: 4 kg in 30 minutes (Special programmes)
				Fast: 2 kg in 15 minutes (Special programmes)
				Antibacterial (Special programmes)
				To remove difficult stains (Special programmes)
				Eiderdown (Special programmes)
				Curtains (Special programmes)
●	●	●	●	Mixed (Special programmes)
				OPERATING CONTROL
9 h.	9 h.	24 h.	24 h.	Delayed start (Keys / Functions)
●	●	●	●	Start / Stop (Keys / Functions)
●	●	●	●	Start / Pause (Keys / Functions)
		●	●	Easy iron (Keys / Functions)
●	●	●	●	Intensive wash (Keys / Functions)
		●	●	Extra rinse (Keys / Functions)
●	●	●	●	Spin and anti-crease control (Keys / Functions)
●	●	●	●	Continual information on the washing process
		●	●	Time remaining (Indicators)
		●	●	Lock selection (Indicators)
				SAFETY
●	●	●	●	Suds control
●	●	●	●	Anti-overflow
				TECHNICAL SPECIFICATIONS
A+	A+	A	A+	Energy class
A	A	A	A	Wash efficiency
C	D	B	C	Spin class efficiency
0.85	0.85	1.33	1.02	Electricity (kWh)* (Consumption)
46	46	54	49	Water (l)* (Consumption)
2,200	2,200	2,200	2,200	Total installed power (W)
220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	Voltage / Frequency (V/Hz)
10	10	10	10	Current (A)
				DIMENSIONS
850	850	820 (**)	820 (**)	Height (Dimensions with worktop (mm))
590	590	590	590	Width (Dimensions with worktop (mm))
550	550	550	550	Depth (Dimensions with worktop (mm))

Optional ITX kit

Code 999010038
EAN-13: 8413880095653

For built-in washing machines.

Includes 6 supplementary
10-mm strips
(Max. height adjustment: 60 mm)



Stainless steel base

Code 995990058
EAN-13: 8413880159492

White base

Code 995990021
EAN-13: 8413880159485

Suitable for all
front-loading
8 kilo washers.

for those who want 2 solutions in 1

The Fagor washer-dryer has a large capacity with the quickest programs and minimal energy consumption.

washer-dryers'

6Kg
in 1 hour

Up to 6 kg in 1 hour.
You can reduce the number of loads and significantly save time, water, electricity and detergent.

4Kg
drying

Dry up to 4 kg - the standard load.
In addition, the washing and drying phases take place in immediate succession.

B
energy

Taking care of you and the environment.
Equipped to pamper your clothes and live in harmony with the environment.

washer-dryers

Model and EAN	Specifications	Diagrams and measurements

3FS-3611
white
905013407
EAN-13: 8413880142029

B energy · A wash

6 Kg.

- 1,100 r.p.m.
- Cold washes in 1 hour
- Interactive LCD display: continuous information about wash and drying process; time delay indicator up to 24 hours; programme time remaining indicator; information about functions
- Spin from 0 to 1,100 r.p.m. and anti-crease
- Button: drying
- Functions:
  - intensive wash,
  - extra rinse,
  - easy iron

ABS · 6Kg in 1 hour · 4Kg drying

built-in electronic washer-dryers

3FS-3611 IT
white
905013416
EAN-13: 8413880142036

B energy · A wash · ABS · 6Kg in 1 hour · 4Kg drying

6 Kg.

- 1,100 r.p.m.
- Cold washes in 1 hour
- Interactive LCD display: continuous information about wash and drying process; time delay indicator up to 24 hours; programme time remaining indicator; information about functions
- Spin from 0 to 1,100 r.p.m. and anti-crease
- Button: drying
- Functions:
  - intensive wash,
  - extra rinse,
  - easy iron



electronic **washer-dryer'**

		FREE-STANDING	BUILT-IN
		3FS-3611	3FS-3611 IT
GENERAL FEATURES			
Maximum spin speed (r.p.m.)		1,100	1,100
Wash capacity (kg.)		6	6
Drying capacity (kg)	Resistant clothing	3	3
	Delicate clothing	1.5	1.5
Electronic Variable Load		●	●
Accessible self-cleaning filter		●	●
Number of detergent sections in tray		3	3
ABS system		●	●
Condensation drying		●	●
Two-way spin drying		●	●
Glass door		●	●
Polypropylene drum		●	●
PROGRAMMING			
Single-dial programme selector		●	●
LCD display		●	●
Shorter programmes		●	●
Hand Wash system		●	●
Cooling cycle		●	●
Complete spin dry		●	●
Spin dry for ironing		●	●
Total number of wash programmes		16	16
OPERATING CONTROL			
Drying time selector		●	●
Keys / Functions	Start / Stop	●	●
	Start / Pause	●	●
	Easy iron	●	●
	Intensive Wash	●	●
	Extra rinse	●	●
	Spin and anti-crease control	●	●
	Delayed start	24 h.	24 h.
Wash phase indicator		●	●
Time delay indicator		●	●
Countdown indicator		●	●
SAFETY			
Suds control		●	●
Anti-overflow		●	●
TECHNICAL SPECIFICATIONS			
Energy class		B	B
Wash efficiency		A	A
Wash and dry energy consumption (kWh) *		4.85	4.85
Wash and dry water consumption (L) *		105	105
Wash energy consumption (kWh) *		1.02	1.02
Wash water consumption (L)		49	49
Total installed power (W)		2,200	2,200
Voltage / Frequency (V/Hz)		220-240 / 50	220-240 / 50
Current (A)		10	10
DIMENSIONS			
Dimensions (mm)	Height	850	820
	Width	590	590
	Depth	550	550

(*) Consumption is measured at 60° C according to EN-50229

Washer-dryer accessories'

Model, Code and EAN	Specifications

ACC. SEC. HOSE
Code 995990012
EAN-13: 8413880070780

Optional anti-flood kit: Mechanism that automatically cuts off water outflow if the water intake tube is broken. Suitable for the entire front-loading range.

Optional ITX kit

Code 999010038
EAN-13: 8413880095653

For the model washer-dryer.

Includes 6 supplementary 10-mm strips
(Max. height adjustment: 60 mm)



BlackArt

The power of a new attraction

Before your eyes you have a new form to decorate, to live your experiences in house. A work with the most exclusive signature.

BlackArt is a new concept of electric home appliances jointly developed by Fagor and the designer Frederick Misik.

It watches it from close, watches it from far, its elegance will shine the same. With BlackArt you are going to discover a new world of aesthetic sensations.

The **BlackArt creation** is made up of these **3 products**

Combined no frost
2.010 mm.
FC86ART

Washing machime
F72ART

Dishwasher
LF71ART

combined no frost BlackArt™

FC86ART
blackart
904019093
EAN-13: 8413880166506

Height 2,010 mm.

- Useful refrigerator volume: 279 litres
- Useful freezer volume: 69 litres
- Total useful volume: 348 litres
- No Frost System in refrigerator and freezer
- Independent compartments with electronic temperature control
- Digital display indicating compartment temperature
- Functions: rapid cooling of the refrigerator and Superfreeze function with automatic shut-off and holiday function
- Multifresh compartment
- Refrigerator door open alarm
- Alarm and warning light indicating unsafe freezer temperature

TROPICAL · BIO FILTER · ANTI-BACTERIAL BIOCARE

2.010 x 598 x 610 mm.

free installation dishwasher BlackArt™

LF71ART
BlackArt
906013218
EAN-13: 8413880170015

- 48 dB(A) noise level
- 7 wash programmes. Hygienizer Programme 75°C
- Maxi Display:
  - time delay of up to 24 hours
  - time remaining
- Variable plus consumption
- Duo Zone
- Super-Easy top basket
- Bottom basket with fold-down supports
- Grey anthracite rack
- Water consumption: 13 litres
- Aqua-Stop Safety
- All-in-one detergents
- Cold or hot water connection

A ENERGY
A WASH
A DRYING

SUPERSILENT · TIME REDUCTION · HYGIENIZER PROGRAMME

Without worktop
820 x 595 x 570 mm.

With worktop
850 x 595 x 600 mm.

BlackArt™ *panelling washing machine 7 kg.*

F72ART
BlackArt
905014772
EAN-13: 8413880168838

7 kg.

- 1,200 r.p.m.
- Turbo-Time Plus
- Cold wash (50 minutes)
- Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; functions selected; spin speed selected
- Function selection: intensive wash, extra rinse, easy iron, spin from 0 to 1,200 r.p.m. and anti-crease

A ENERGY
A WASH

7 Kg IN 50 MIN

850 x 590 x 550 mm.

Measurements: Height x Width x Depth

combined refrigerator

		NO FROST 2.010 mm. FC86ART
CAPACITY		
Refrigerator volume (L)	Gross	280
	Usable	279
Freezer volume (L)	Gross	88
	Usable	69
Total volume (L)	Gross	368
	Usable	348
GENERAL FEATURES		
Compressors		■
Reversible left/right doors		■
Roller wheels		■
REFRIGERATOR FEATURES		
Double Fresh System		■
Filter		Bio No Frost
Glass vegetable tray		Plastic
Cold		No Frost
Automatic evaporation		■
Multiventilation panel		■
Interior light		■
Number of shelves		3
Bottle holder		■
Door shelf separator		■
Door shelf separator		■
Egg rack		2
Number of trays		4
Tray material		Glas
Bottle rack		■
Adjustable vegetable drawers		Adjustable 1
Special low temperature zone (Multi-Fresh System)		■
Replaceable seals		■
FREEZER FEATURES		
Uniform low temperature		No Frost
Ice cube container		■
Closed drawers		3
Ice cube container		■
Ice trays		2
Multiventilation panel		■
Replaceable seals		■
OPERATION CONTROL		
Refrigerator door open alarm		■
Alarm and warning light indicating unsafe freezer temperature		■
Electronic refrigerator temperature selection		■
Electronic freezer temperature selection		■
Refrigerator temperature indicator		Display
Freezer temperature indicator		Display
Rapid cooling of the refrigerator		■
Start / Stop (Key + Pilot light)		■
Super Freeze (Key + Pilot light)		■
Holiday function		■
TECHNICAL SPECIFICATIONS		
Number of stars		4
Climate class (1)		SN-T
Energy class		A
Annual electricity consumption (kWh / year)		1.05
Annual electricity consumption (kWh / year)*		385
Freezing power (kg / 24 h)		13
Autonomy (h)		10
Nominal wattage (W)		160
Voltage (V)		220-240
Frequency (Hz)		50
Gas		R600A
DIMENSIONS		
Dimensions (mm)	Height	2010
	Width	598
	Depth	610

(1) Climate Class SN-T: Room temperature between +10° C and + 43° C

* According to the results obtained in the standard 24-hour test. Real energy consumption depends on the usage conditions of the product and its location.

Washing Drying

Lavarmonía, designed for your wellbeing

Ergonomic design to take care of you and make life more convenient.

Ergonomics in your movements

Designed for maximum ease in loading and unloading clothes.

- hatch up to 73 cm from the floor.
- hatch diameter of up to 34 cm.
- inclined drum.

And all of this to guarantee your comfort.

Fagor washers are 57% faster than other washers.

Fagor offers the best wash response based on the load inserted.

2 kg	4 kg	7 kg
15 min.	30 min.	50 min.

Up to 7 kg of capacity.

Thinking of your comfort and wellbeing. So that you can wash more clothing each time, or wash large items like eiderdowns, blankets, etc.

7 kg

WASH



Drum design.

To treat your clothing with maximum delicacy, we have designed a new drum with smaller, but more numerous, holes.

Be happier in your clothes

Fagor washing machines treat your clothing with complete delicacy, so that you feel its cleanliness and softness.

~ gentle and delicate treatment

a solution for every item

Special programmes.

Has special programmes for your needs: eiderdown, mixed, special stains, anti-bacterial or curtains.

Baby Touch.

An extra rinse your skin will appreciate. By selecting the “Extra rinse” function, a large percentage of detergent left on clothes is eliminated, leaving them cleaner and safer.

Easy-iron function.

If you want to reduce the time you spend ironing, the Easy Iron function can help.

Delayed start.

You choose when you want the wash to start and/or stop. You can delay the wash up to 24 hours.

A+ ENERGY

A WASH

Responsible consumption.

Energy efficiency and wash efficacy so that your clothes are cleaner, better taken care of and so you save energy at home.

Dual Temperature Washer.

Thanks to Fagor’s commitment to the environment, the range of dual temperature washers has been expanded.

This washer, with a cold and hot water intake, allows less energy to be used for those programmes using maximum temperatures. If your home does not have a double intake, the washer can also be connected to a normal intake.

Washer-dryer

The perfect combination

Saves space with maximum performance.

WASH

DRYING

Your clothes are washed and dried in an hour.

You can wash and dry four kilograms of clothing, linking the wash and dry cycles together, so your clothes are ready in just an hour.

B

ENERGY

Energy efficiency.

Take care of your clothes and the environment more carefully, and earned the highest energy efficiency rating.

Dryers, heat that cares for your clothes

front-loading

Delayed start.

You choose when you want the drying programme to start. You can delay the wash up to 24 hours.



Reversing system.

Thanks to the alternating drum rotation, your clothes are less wrinkled, making ironing a breeze.

electronic washing machine 7 kg.

FE-1710
white
905110001
EAN-13: 8413880181882

ENERGY A+
WASH A

7 kg.

- 1,000 r.p.m.
- Turbo-Time Plus
- Cold wash (50 minutes)
- Leds information of: wash process, spin speed selected
- Delayed start up to 3, 6 and 9 hours
- Function selection: intensive wash, anti-crease, spin from 0 to 1,000 r.p.m.

7 Kg IN 50 MIN
SPECIAL PROGRAMMES

850 x 590 x 590 mm.

electronic washing machine 6 kg.

F-2612 B
white
905015067
EAN-13: 8413880178424

ENERGY A+
WASH A

6 kg. Dual Temperature

- 1.200 r.p.m.
- Cold washes in 1 hour
- Double water intake: cold and hot
- Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; functions selected; spin speed selected
- Function selection: intensive wash, extra rinse, easy iron, spin from 0 to 1,200 r.p.m. and anti-crease

6 Kg IN 1 HOUR

850 x 590 x 550 mm.

built-in washing machine 6 kg.

F-3612 ITB
white
905015076
EAN-13: 8413880178431

ENERGY A+
WASH A

6 kg. Dual Temperature

- 1.200 r.p.m.
- Cold washes in 1 hour
- Double water intake: cold and hot
- Interactive LCD display with information about the following: wash process; delayed start for up to 24 hours; duration and time remaining of programme; functions selected; spin speed selected
- Function selection: intensive wash, extra rinse, easy iron, spin from 0 to 1,200 r.p.m. and anti-crease

6 Kg IN 1 HOUR



Measurements: Height x Width x Depth

electronic washer-dryer 6 kg.

FS-3612X
stainless steel
905015049
EAN-13: 8413880178400

FS-3612
white
905013112
EAN-13: 8413880141794

A WASH

6 kg.

- 1.200 r.p.m.
- Cold washes in 1 hour
- Interactive LCD display:
  - continuous information about wash and drying process; time delay indicator up to 24 hours; programme time remaining indicator; information about functions
- Spin from 0 to 1,200 r.p.m. and anti-crease
- Button: drying
- Functions: intensive wash, easy iron, extra rinse

4 Kg DRYING

850 x 590 x 550 mm.

built-in electronic washer-dryer 6 kg.

FS-3612IT
905015058
EAN-13: 8413880178417

A WASH

6 kg.

- 1.200 r.p.m.
- Cold washes in 1 hour
- Interactive LCD display:
  - continuous information about wash and drying process; time delay indicator up to 24 hours; programme time remaining indicator; information about functions
- Spin from 0 to 1,200 r.p.m. and anti-crease
- Button: drying
- Functions: intensive wash, easy iron, extra rinse

4 Kg DRYING



tumble-dryer 8 kg.

1SF-84 E
white
936010619
EAN-13: 8413880174297

C ENERGY

8 kg. Evacuation

- REVERSING system
- Electronic humidity sensor
- Stainless steel drum
- Large door and 180° opening
- Programme selector
- LCD: delayed start for up to 24 hours; time remaining indicator and drying phases
- Special function: end of programme beep warning
- Pilot lights: anti-crease and clean filter warning

850 x 600 x 600 mm.

1SF-80 CB
white
936010450
EAN-13: 8413880145716

C ENERGY

8 kg. Kondensation

- REVERSING system
- Stainless steel drum
- Large door and 180° opening
- Drying time selector
- Programme selecto: delayed start of programme by 3, 6, 9 or 12 hours
- Pilot lights: anti-crease, tray full warning, clean filter warning
- Keys: start-stop, start-pause, anti-crease, delayed start, fabric type selection

850 x 600 x 600 mm.

Measurements: Height x Width x Depth

		FREE-STANDING		BUILT-IN
		7 Kg	6 Kg	6 Kg
		FE-1710	F-2612B	F-3612ITB
GENERAL FEATURES				
Maximum spin speed (r.p.m.)		1,000	1,200	1,200
Capacidad de lavado (kg)		7	6	6
Self-cleaning filter		■	■	■
Number of detergent sections in tray		3	3	3
Programs reduced in time (Turbo Time Plus)		■	T.Time	T.Time
ABS system (Gradual spin)		■	■	■
Hot and cold water dual-temp intake			■	■
180° opening door		■	■	
Hatch size (cm)		34	32	30
Inclined drum (easy access)		■		
PROGRAMMING				
Programme selector		■	■	■
LCD display			■	■
Programmes	Energetic with pre-wash		■	■
	Normal	■	■	■
	Delicate	■	■	■
	Hand wash (Wool)	■	■	■
	Quick (30 minute)		■	■
	Cold	■	■	■
Special programmes	Fast: 4 kg in 30 minutes	■		
	Fast: 2 kg in 15 minutes	■		
	Antibacterial	■		
	To remove difficult stains	■		
	Eiderdown	■		
	Curtains	■		
	Mixed	■		
Total number of wash programmes		16	16	16
OPERATING CONTROL				
Delayed start		9 h.	24 h.	24 h.
Key and/or Functions	Start / Stop	■	■	■
	Start / Pause	■	■	■
	Intensive wash	■	■	■
	Extra rinse (Baby touch)		■	■
	Easy iron	■	■	■
	Spin and anti-crease control	■	■	■
	Bloqueo selección		■	■
Indicators	Time remaining		■	■
	Wash phase	■	■	■
SAFETY				
Anti-overflow		■	■	■
Suds control		■	■	■
TECHNICAL SPECIFICATIONS				
Energy labelling	Energy class	A+	A+	A+
	Wash efficiency	A	A	A
	Spin class efficiency	C	B	B
	Wash energy consumption (kWh)*	1.19	1.02	1.02
	Wash water consumption (l)*	59	49	49
Annual consumption**	Wash energy (kWh)	238	204	204
	Wash water (l)	11,800	9,800	9,800
Wash time at 60° (min.)		140	130	130
Residual humidity (%)		62	52	52
Total installed power (W)		2,200	2,200	2,200
Voltage (V)		220-240	220-240	220-240
Frequency (Hz)		50	50	50
Current (A)		10	10	10
DIMENSIONS				
Dimensions (mm)	Height	850	850	820**
	Width	590	590	590
	Depth	590	550	550

(*) Consumption is measured at 60° C according to EN-60456.
(**) Average annual consumption for a family of 4, with 200 cotton cycles at 60°.
(***) Height without worktop.

electronic washer-dryer

		FRONT LOADING	BUILT-IN
		FS-3612X FS-3612	FS-3612IT
GENERAL FEATURES			
Maximum spin speed (r.p.m.)		1,200	1,200
Wash capacity (kg)		6	6
Drying capacity (kg)		3	3
Self-cleaning filter		■	■
Number of detergent sections in tray		3	3
ABS system (Gradual spin)		■	■
Condensation drying		■	■
Two-way spin drying		■	■
180° opening door		■	
Hatch size (cm)		32	30
PROGRAMMING			
Programme selector		■	■
LCD display		■	■
Cooling cycle		■	■
Complete spin dry / Spin dry for ironing		■	■
Programmes	Energetic with pre-wash	■	■
	Normal	■	■
	Delicate	■	■
	Mixed	■	■
	Hand wash (Wool)	■	■
	Quick (30 minute)	■	■
	Cold	■	■
Total number of programmes		16	16
OPERATING CONTROL			
Drying time selector		■	■
Delayed start		24 h.	24 h.
Key and/or Functions	Start / Stop	■	■
	Start / Pause	■	■
	Easy iron	■	■
	Intensive	■	■
	Extra rinse	■	■
	Spin and anti-crease control	■	■
Time remaining indicator		■	■
Wash phase display		■	■
SAFETY			
Anti-overflow		■	■
Suds control		■	■
TECHNICAL SPECIFICATIONS			
Energy labelling	Energy class	B	B
	Wash efficiency	A	A
Consumption	Wash energy (kWh)*	1.02	1.02
	Wash water (l)*	49	49
	Wash and dry energy consumption (kWh) *	4.85	4.85
	Wash and dry water consumption (l) *	105	105
Annual consumption**	Wash energy / wash+dry (kWh)	204 / 970	204 / 970
	Wash water / wash+dry (l)	9,800 / 21,000	9,800 / 21,000
Wash time at 60° (min.)		140	140
Residual humidity (%)		52	52
Total installed power (W)		2,200	2,200
Voltage (V)		220-240	220-240
Frequency (Hz)		50	50
Current (A)		10	10
DIMENSIONS			
Dimensions (mm)	Height	850	820***
	Width	590	590
	Depth	550	550

(*) Consumption is measured at 60° C according to EN-50229
(**) Average annual consumption for a family of 4, with 200 cotton cycles at 60°.
(***) Height without worktop.

		FRONT LOADING	
		8 KG	
		1SF-84E	1SF-80CB
GENERAL FEATURES			
Type of drying		Evacuation	Condensation
Drying capacity (kg)	Cotton	8	8
	Delicate materials	3	3
Sistema reversing		■	■
Stainless steel drum		■	■
Electronic humidity sensor		■	
Extractable condensation tray			■
Anti-creases continuous cooling cycle		■	■
Fluff filter		■	■
Door open (180°)		■	■
Large reversible left/right door		■	■
Vent hose supplied		■	
No. air outlets		3	
PROGRAMMING			
Drying time control programme		■	160 min.
Programmes	Mixed	■	■
	Synthetic	■	
	Ventilation	■	
	Ready to iron	■	
	Delicate	■	■
	Normal / Cotton	■	■
OPERATING CONTROL			
Delayed start		24 h.	9 h.
LCD display		■	
Time remaining indicator		■	
Keys	Start / Stop	■	■
	Start / Pause	■	■
	Extra time	■	
	End of programme warning	■	
	Anti-crease	■	■
Tray full pilot light			■
Clean filter pilot light		■	■
TECHNICAL SPECIFICATIONS			
Energy efficiency class		C	C
Electrical consumption (kWh)*		4.60	5.12
Annual consumption (kWh)*		270	310
Total installed power (W)		2,400	2,400
Current (A)		16	16
Voltage / Frequency (V/Hz)		230 / 50	230 / 50
DIMENSIONS			
Dimensions (mm)	Height	850	850
	Width	600	600
	Depth	600	600

(*) Consumption is measured according to EN-61121

electronic washing machine and washer-dryer accessories

	Model, Code and EAN	Specifications
	ACC. SEC. HOSE Code 995990012 EAN-13: 8413880070780	Optional anti-flood kit: Mechanism that automatically cuts off water outflow if the water intake tube is broken. Suitable for the entire front-loading range.
	**Optional ITX kit** Code 999010038 EAN-13: 8413880095653	Includes 6 supplementary 10-mm strips (Max. height adjustment: 60 mm)

accesorios secadoras

	Model, Code and EAN	Specifications
	ACC. COLUMN Code 994990186 EAN-13: 8413880155739	Optional kit for installing the washing machine and dryer in a column unit.